

2024



SMARTFOL

PROFESSIONAL TOOLS FOR CAR WRAPPING,
WINDOW TINTING AND PPF APPLICATIONS



- CLEANING
- CUTTING
- INSTALLATION
- OTHER TOOLS





SMT-1100 | AVERY SURFACE CLEANER

Looking for a universal cleaner that leaves no residue on the surface? Avery Surface Cleaner is a high-performance cleaner that enables you to remove all kinds of residue in one single action, including dirt, wax, tectyl, light silicone, cock-pit sprays, and more. A highly user-friendly cleaner, it can also be used for removing small adhesive residues from surfaces.



SMT-1101 | AVERY ADHESIVE REMOVER

Never said that this stuff is cheap, but it works. The Avery Adhesive Remover is a high-performance cleaner designed to make sure that substrates are adhesive-free when graphics are removed.



SMT-1113 | AVERY SUPREME WRAP CARE CLEANER 946ML

A general cleaning agent for regular use, which removes dust, light dirt and fingerprints from the film.

SMT-1114 | AVERY SUPREME WRAP CARE POWER CLEANER 946ML

This is a strong cleaning agent for difficult stains, such as bird droppings, road grime and tree sap.



SMT-1115 | AVERY SUPREME WRAP CARE SEALANT 946ML

It creates a protective layer on the film surface, therefore stains, bird droppings and tree sap can be removed more easily.



SMT-1130 | ORGANIC SURFACE CLEANER 0,75L

The Organic Cleaner products have been developed to assure the least exposure to harmful chemicals of our fellow installers. Our aim when developing the Organic Cleaner family was to find a much more installer friendly solution for cleaning. A concentrated surface cleaner with high ethanol content for removing severe contamination. Evaporates quickly leaving a perfect surface prior to installation.




SMT-1132 | ORGANIC SURFACE CLEANER 5L

A more economical 5L version of the SMT-1130 Organic Surface Cleaner.



SMT-1133 | TAP

This tap will make it easier to pour the cleaning liquid from 5L Organic Surface Cleaner cans.



SMT-1134 | PUMP

This pump will make it easier to pour the cleaning liquid from 5L Organic Surface Cleaner cans.



SMT-1102 | SOTT FILM REMOVER 5L

Strong and effective liquid for removing film, even from glass and metal surfaces. SOTT Film Remover has been developed to remove self-adhesive films and decals made of PVC, PVF and PU. Removal of films made of polyester that are thick or multi-layered (such as reflective, PPF and laminated films) may be difficult or not possible at all with this product. Film Remover is a compressed volatile liquid that dries quickly if in contact with air. Creates a dry, powdery layer that can be removed along with the film residue. The film removal process is already active before the Remover becomes a powder layer.



SMT-1107 | SOTT SURFACE CLEANER II 1L

Are you looking for a universal cleaner that leaves no residue on surfaces? The SOTT SURFACE CLEANER-II is a high-performance cleaning solution that removes all types of dirt in one swipe, whether it's grime, wax, tectyl, silicone, silicone spray, etc. This user-friendly product is also suitable for removing small adhesive marks.



SMT-1119 | YELLOTOOLS NANOEX 250ML

PH-neutral cleaning liquid, which guarantees the dissolution of various coatings that can reduce the adhesion of the films.



SMT-1200 | VICTORY SCRAPER, STRAIGHT 150 MM

The Victory scraper is made in Polypropylene reinforced by glass fiber and is equipped with a double edge carbon steel blade. When the scraper is not in use the blade is protected by an ergonomic cover.



SMT-1201 | VICTORY SCRAPER 80 MM

8 cm wide scraper for window cleaning, specifically developed for automotive application, comes with carbon steel blade.



SMT-1202 | CARBON STEEL BLADE

A double-edge, economical carbon steel blade. Replacement blades for SMT-1200.

SMT-1205 | CARBON STEEL BLADE (BOX OF 10) 8 CM

Double-bladed carbon steel blade for product SMT-1201.


SMT-1210 | HEAVY DUTY RAZOR

Metal cased, 4-cm glass scraper.



SMT-1211 | CARBON STEEL BLADE

Single edge carbon steel blades into SMT-1210, SMT-1213 and SMT-1214. Pack of 100 pieces.



SMT-3141 | GATOR BLADE I

Plastic tool for film removal, with an ergonomic handle.



SMT-3142 | GATOR BLADE II

Plastic tool for film removal, with an ergonomic handle



SMT-1213 | 1" BLADE AID PLASTIC SCRAPER

Plastic handle for any 1" blade.



SMT-1214 | TRIUMPH RAZOR SCRAPER

Plastic handle, ergonomically designed, 5 cm wide blade with a straight head.



SMT-1216 | STAINLESS STEEL BLADE

Single edge stainless steel blades into SMT-1210, SMT-1213 and SMT-1214. Pack of 100 pieces.



SMT-12120 | DOUBLE EDGE PLASTIC RAZOR BLADES (ORANGE COLOR)
SMT-1212W | DOUBLE EDGE PLASTIC RAZOR BLADES (WHITE COLOR)
SMT-1212G | DOUBLE EDGE PLASTIC RAZOR BLADES (GREY COLOR)

Perfect for removing adhesive and leftover film from surfaces that can be easily damaged. Pack of 100.



SMT-1206 | SOTT THE WIDE GRIPPER 10 CM BLADES WITH WIDE PLASTIC BLADES

All kinds of dirt and glue residue can be quickly and efficiently removed from sensitive surfaces with this 10 cm wide plastic blade. Its advantage is that it does not scratch or rust. A spare blade is available, product code is SMT-1207.



SMT-1207 | SOTT REFILL FOR "THE WIDE GRIPPER"

10 cm wide spare blade for SMT-1206 „The Wide Gripper“ plastic blade, 25pcs / pack.



SMT-1307 | FUSION CHANNEL SQUEEGEE BLUE 15CM

High quality rubber blade for cleaning squeegeeing, 15 cm long, blue color.

Durometer: 94.



SMT-1308 | FUSION CHANNEL SQUEEGEE BLUE 45CM

High quality rubber blade for cleaning, 45 cm long, blue color.


Durometer: 94.



SMT-1309 | FUSION CHANNEL SQUEEGEE ORANGE 15CM

High quality rubber blade for cleaning, 15 cm long, orange color


Durometer: 85.



SMT-1310 | FUSION CHANNEL SQUEEGEE ORANGE 45CM

High quality rubber blade for cleaning, 45 cm long, orange color.

Durometer: 85.



SMT-1302 | UNGER SQUEEGEE AND CHANNEL 15 CM

Stainless steel channel and soft rubber squeegee blade, ca. 15 cm.

SMT-1305 | UNGER SQUEEGEE AND CHANNEL 20 CM

Stainless steel channel and soft rubber squeegee blade, ca. 20 cm.

SMT-1306 | UNGER SQUEEGEE AND CHANNEL 30 CM

Stainless steel channel and soft rubber squeegee blade, ca. 30 cm.



SMT-1303 | UNGER SQUEEGEE AND CHANNEL 45 CM

Stainless steel channel and soft rubber squeegee blade, ca. 45 cm.

SMT-1304 | REPLACEMENT SQUEEGEE BLADE 3,5 METER

Replacement blades for unger squeegee channel, used for window cleaning, not installation.

SMT-1301 | ERGONOMIC UNGER PRO HANDLE

Features a spring mechanism for quick changing of blades. Very comfortable handle to work with.



SMT-1300 | UNGER PRO HANDLE

Universal, rubber-coated squeegee handle. It works with many different squeegee blade attachments: Clear Max, Blue Max, Blue Squeegee Blade and the regular squeegee blade with the soft rubber insert in the stainless steel channels.

SMT-1403 | EMBLEM REMOVER

Used to help you easily remove emblems and other signs. The cutting tape can be fixed into the handles, and it will not damage the paintwork. Shipped with 100 cutting tapes.

SMT-1404 | MOLDING & TRIM REMOVAL KIT 5 PIECES

Plastic molding and trim removal kit, 5 pieces.



SMT-3267 | YELLOTOOLS YELLOBLADE ORANGE


Well-slideable scraper blade that is soft enough not to damage the paintwork. It fits perfectly into the SMT-3266 handle.

SMT-3268 | YELLOTOOLS YELLOBLADE HANDLE MINI

If you need to remove a small sign or something from a hard-to-reach area, this small tool will help greatly.

SMT-3269 | YELLOTOOLS YELLOBLADE 360

Removing film is the most dreadful task a decorator can imagine. This tool will be a great help.



SMT-3266 | YELLOTOOLS YELLOBLADE HANDLE

Finally, a handled squeegee for comfortable and fast vinyl removal.

SMT-1312 | WATER SQUEEGEE

Soft silicone squeegee, perfect for removing water from the bodywork when installing PPF.




SMT-1410 | DOORHANDLE REMOVER

The DoorHandle Remover is an indispensable tool for removing door handles.

SMT-1411 | GRABHANDLE REMOVER

This multitool is indispensable when it comes to removing handles and many other attachments on vehicles.




SMT-1401 | SOTT MICROFIBRE WIPES

A completely lint and dust-free cloth that doesn't release a single fiber during polishing, which enables the perfect cleaning of any surface. It also has extremely high moisture absorbency.

SMT-1402 | 3M SCOTCHBRITE SCRUBBING SPONGE

Non-scratch scrub sponge perfect for leaning any surface you want that will not scratch the surface when wet. Ideal for cleaning shop windows, glass, plastics, etc. Also, it removes adhesive residues, too!



SMT-1408 | SOTT SCOTCH-BRITE SCRUBBER - THIN

This pro-quality scourer works very well for the removal of tough dirt and little bumps on car and home windows. The sponge is less than an inch thick.

SMT-1409 | SOTT SCOTCH-BRITE SCRUBBER - THICK

This large scrub pad is perfect for glass cleaning. It works very well for the removal of tough dirt and little bumps on car and home windows. Because of its size, it is easy to use.



SMT-1412 | SOTT CAR WRAPPER CLEANER SPONGE - 2PCS

This special white sponge extracts all dirt released from imperfection in a film, returning it to its original color. Rinse the film with water and job done!


SMT-1405 | MOLDING & TRIM REMOVAL KIT 11 PIECES

Plastic molding and trim removal kit, 11 pieces.



SMT-2408 | YELLOTOOLS SAFETYRULER CLASSIC 50 CM
SMT-2409 | YELLOTOOLS SAFETYRULER CLASSIC 150 CM

Aluminium ruler with special design that protects the fixing hand from getting cut. The bottom is coated with rubber in order to avoid sliding of the ruler.



SMT-2110 | NT PMGA-EVO 2

Premium grade knife from NT Knives. Heavy duty stainless steel casing, blade can be adjusted with increased precision. Ideal for wrapping and PPF cutting with our 30° blades.

SMT-2123 | BODYGUARD KNIFE TEFLON

The perfect knife to prepare car wrapping and decorative films, designed specifically to cut the liner without damaging the adhesive or the film itself. This teflon-coated knife is slidable along the adhesive without leaving any marks or lines. Replacement blades: SMT-2208



SMT-2106 | OLFA SILVER 1 KNIFE

The universal knife of any tint or wrap shop with stainless steel handle. Designed for either left or right-handed use.

SMT-2107 | OLFA SAC-1 KNIFE

This stainless-steel cutter features an ultra-slim design and a 30° angled blade. It is a popular choice with professional graphic artists and sign-making professionals.



SMT-2100 | OLFA SILVER 2

The universal knife of any tint or wrap shop with stainless steel handle. Designed for either left or right-handed use.



SMT- 2101 | OLFA XA-1

An ergonomic knife with a comfortable rubber grip.



SMT- 2102 | OLFA SPC-1

Always leaving your knife in the car? Then perhaps you should try this economy knife with plastic handle.



SMT- 2103 | OLFA ES-1/GREEN

Caring for the environment? All plastic parts made from 100% recycled materials

HINT: This knife has a thick plastic casing making it slidable on vinyl. This is very useful for wrapping jobs.



SMT-2104 | OLFA 180 BLACK


Steel-cased knife used for light duty cutting jobs.



SMT-2105 | OLFA PA-2

Never run out of blades. 9 mm multi-blade knife, it holds up to 5 blades. That's 65 new cutting segments per load.

HINT: Being up on the scaffold or hanging on a rope, it can be very useful if you have a multi-blade knife in your hands.



SMT-2111 | NT PRO A-1

Regarded by many installers as the finest professional knife available. The blade can be advanced in 1/2 segment increments for precision control.






SMT-2113 | OLFA A-2 9 MM KNIFE

9 mm utility knife with metal casing and a plastic handle.



SMT-2114 | NT A553P KNIFE



Knife with a plastic casing which is well-slidable and which does not damage the car body. Multiple blades can be fixed in the handle, so you do not have to worry about changing the blades.



SMT-2200 | COBRA BLADE 60°

Special 60° titanium blade from Solingen. It is the sharpest blade in the industry, specifically recommended for cutting PPF, and also to have any cut more aesthetic, precise and professional. Pack of 10.

HINT: Many installers like this blade as it will not wrinkle the film even when it's hot. Once you try it, you can forget about all other blades.




SMT-2201 | COBRA BLADE 30°

30° blade that makes it possible to cut with very gentle pressure, and because of its small angle, also to easily cut in a curve. Primarily recommended for precision cuts. Pack of 10

HINT: Great for small precision cuts during car wraps. For longer cuts, use the larger angle blade instead.





SMT-2208 | YELLOTOOLS TITANBLADES BODYGUARD

Extra sharp titanium edge blades from Yello-tools, suits SMT-2123, 10 pcs/box.

SMT-2205 | OLFA SS BLADE

Standard-duty stainless steel snap-off replacement blades. 50 blades per pack.

SMT-2213 | OLFA SAB-10

Carbon steel, breakable 9mm replacement blades with a 30° bevel angle. 10 blades/box.

NEW



SMT-2120 | AVERY SNITTY

The Snitty is a mini-slitting tool, used for cutting self-adhesive material.



SMT-2122 | SNITTY VINYL CUTTER

Compact cutting tool for cutting self-adhesive materials.

NEW



SMT-2204 | BLADE FOR SMT-2120, 10PCS/BOX

Blades compatible with the Avery Snitty vinyl cutter.

NEW



SMT-2206 | OLFA EXCEL BLACK CS BLADE

Exclusively designed for maximum cutting performance. 50 blades per pack.



SMT-2130 | YELLOTOOLS FINGERTIP KNIFEPEN

Special knife for the fingers that makes precision cuts possible.

NEW



SMT-2401 | ALUMINIUM TRASH BLADE CONTAINER(FIT FOR 9MM, 18MM, 30°, 60° ANGLE BLADE)

Tired of having pieces of blades lying on the floor? Use this pocket-sized aluminum alloy tool to break blades quickly and safely.



SMT-2402 | YELLOTOOLS BLADEBREAKER II

Do away with pieces of blades lying around, this tool will keep them safely in one place.



SMT-2209 | BLADE FOR SMT-2110, 10 PCS/BOX, BA15P

NT Cutter, a Japanese premium manufacturer's 30° angle blade with reinforced edge.



SMT-2210 | BA-50SS STAINLESS STEEL BLADE (BOX OF 50)

NT Cutter, a Japanese premium manufacturer's stainless steel blade for car window tinting, it is for those who are not delighted with Olfa.



SMT-2400 | MAGNETIC SNAP BLADE CAGE (FIT FOR 9MM 30°, 60° ANGLE BLADE)

Magnetic blade breaker

NEW



SMT-2417 | BLADEBREAKER PRO

The blade breaking edge has been enlarged, breaking cutter blades is much easier. The rubber coating allows the blade box to withstand a bump or fall easily. There is a small detachable magnetic plate in the lower vessel area of the snap-off blade box. The magnet holds the small demolition residues and tips on the bottom of the blade box.



SMT-2403 | YELLOTOOLS WRAPSLIP CUT CLIPPER

A tool designed to make parallel cuts along curves.



SMT-2411 | YELLOTOOLS EDGEWRAP CUTTER

A special tool used for precise corner cutting.

NEW



SMT-2412 | SENSORCUT FLEXI

With this car wrapping tool you get a PDC sensor template, with which you can easily cut out diameters of 13-25mm.



SMT-2413 F | WRAP DEFENDER

A special knife that will change the way you work and reduce damage to vehicle paintwork, seling rubbers or unpainted attachments

NEW



SMT-2302 | KNIFELESS TAPE DESIGN LINE 50M

Allows stretching, follows contours and turns easily in any direction. Excellent for creating designs & stripes with no extra steps required to achieve a perfect cut.



SMT-2305 | KNIFELESS TAPE PRECISION LINE 50M

Precisely and efficiently cut through graphic film without a knife and without surface damage to create a clean cut.




SMT-2404 | YELLOTOOLS CUTGRIP

Universal handle for knives, for both the left- and right-handed.




SMT-2405 | YELLOTOOLS WRAPBEND-IT FLEXIBLE WIRE

It copies the contours and outer dimensions of shapes and transfer them to the film.



SMT-2410 | METAL TRIANGLE RULER

Triangle-shaped metallic rule with 45 and 90° corners and built in circles.




SMT-2406 | YELLOTOOLS FINELINE 6MM x 33M

Matt polipropilene masking tape, easy to form, taking up curves easily and not breaking. Makes cutting safer.



SMT-2407 | YELLOTTOLS FINELINE 3MM x 33M

Matt polipropilene masking tape, easy to form, taking up curves easily and not breaking. Makes cutting safer.




SMT-2419 | PROCORNER TOOL

Procorner tool for PPF cutting for small corners, angles and parking sensors



SMT-2310 | WRAPCUT 3MM X 60M

WrapCut edge cutting tapes were designed for cutting decorative and car wrapping films without a knife. SMT-2310 has a 3mm wide, red, low adhesive tape, and out of the WrapCut range, SMT-2310 is the most suitable for cutting curves. With the fine cutting filament always at the very edge of the tape, WrapCut prevents errors in cutting location, producing a perfect cut every time.



SMT-2311 | WRAPCUT PRO 4MM X 45M

WrapCut edge cutting tapes were designed for cutting decorative and car wrapping films without a knife. SMT-2311 has a 4mm wide, white, strong adhesive tape. Its fiber cutting filament is stronger than that of SMT-2310. The significant increase in adhesive strength permits positive attachment to difficult surfaces and creates instant tack to the surface but lifts cleanly and easily for re-positioning.



SMT-2312 | WRAPCUT WIRE 4MM X 45M

WrapCut cutting tapes have been developed for bladeless cutting of advertising graphics and vehicle wrapping films. The SMT-2312 WrapCut WIRE cutting tape is 4mm wide, white in color, and is attached to adhesive tape with stronger adhesion. WrapCut Wire is a robust metal strip specifically designed for reflective, paint protection, and other difficult-to-cut films.



SMT-3100 | AVERY SQUEEGEE PRO

The Squeegee Pro is a medium flex squeegee, and a highly effective tool for flat or slightly curved surfaces. A great choice for vehicle wraps and day-to-day applications like wall panels.

SMT-3101 | AVERY SQUEEGEE PRO FLEXIBLE

The Squeegee Pro Flexible is a softer and more flexible version of the SMT-1300, an excellent choice for curved applications such as wheel arches and car bonnets / bumpers.

SMT-3102 | AVERY SQUEEGEE PRO RIGID

The Squeegee Pro Rigid is the most rigid squeegee in Avery Dennison's collection, specially designed for flat application of thick and rigid high-performance products, such as Conform Chrome films.



SMT-3103 | 3M GOLD
SMT-3104 | 3M BLUE


3M Blue and Gold Squeegees are used for applying window film, vinyl graphics, paint protection films and vehicle wrap films. The blue reaper is softer, while the gold is harder.

SMT-3110 | ERGONOMIC PLASTIC FILM INSTALLER SQUEEGEE SET, 3 DIFFERENT HARDNESSES

The package includes three squeegees of different hardness levels (70, 80, and 90 durometer), suitable for varying needs. Thanks to its ergonomic design, it ensures comfortable working conditions.

SMT-3121 | UNIVERSAL SQUEEGEE

Basic, 4" bondo card for multiple uses. This universal card features a firm flex and can be used on window film, vinyl graphics, paint protection films and vehicle wraps.



SMT-3126 | GREEN SOFT FLEX SQUEEGEE

A unique squeegee made from the mixture of rubber and plastic, with outstanding flexibility. Especially applicable with curved surfaces.

SMT-3100YT | YELLOTOOLS PROBASIC BLUE 4" SQUEEGEE
SMT-3101YT | YELLOTOOLS PROBASIC GREEN 4" SQUEEGEE


The YelloTools ProBasic is a 10 cm wide squeegee with different radii at the squeegee corners. ProBasic Blue: 62 „hardness, Recommended felt: Monkey Strips (SMT-3423, SMT-3424, SMT-3425) YelloStripe BigBuffer Micro 3 (SMT-3491, wet installation) YelloStripe BigBuffer Microfine 3 (SMT-3492, wet installation) YelloStripe SlimSkin MicroFine 3 (SMT-3493, dry installation) YelloStripe SlimSkin Micro 3 (SMT-3494, dry installation)



SMT-3122 | YELLOTOOLS PROWRAP BLUE 62" TRAPEZOIDAL SQUEEGEE
SMT-3123 | YELLOTOOLS PROWRAP GREEN 40" SOFT, TRAPEZOIDAL SQUEEGEE

The ProWrap Blue Squeegee is more suitable for car wrapping due to its trapezoidal shape. 62 „hardness, 40 „hardness

Recommended felt:
Monkey Strips (SMT-3423, SMT-3424, SMT-3425)
YelloStripe BigBuffer Micro 3 (SMT-3491, wet installation)
YelloStripe BigBuffer Microfine 3 (SMT-3492, wet installation)
YelloStripe SlimSkin MicroFine 3 (SMT-3493, dry installation)
YelloStripe SlimSkin Micro 3 (SMT-3494, dry installation)




SMT-3160 | YELLOTOOLS ALLSTAR BLUE
SMT-3161 | YELLOTOOLS ALLSTAR GOLD

This larger squeegee can be held deeper in the palm, therefore strains your joints less with longer jobs. The curved edge helps to install without wrinkles, since the squeegee contacts the film always at 30 degrees.

SMT-3178 | PROBASIC GOLD 4" SQUEEGEE
SMT-3179 | PROBASIC BLUE 4" SQUEEGEE

The 4" Squeegee for signmaking teflon refined for higher performance with a special, smooth-sliding quality, medium-soft.



SMT-3146 | TEFLON CARD BLUE PT
SMT-3173 | TEFLON CARD PINK PT
SMT-3176 | TEFLON CARD GOLD PT
SMT-3107 | TEFLON CARD BLACK PT

Durable plastic squeegees from ProTools in different hardnesses: Blue & Purple – very soft, Black – medium soft; White & Pink & Peach–medium hardness, Gold & Platinum – hard

SMT-3106 | TEFLON CARD WHITE PT
SMT-3175PT | TEFLON CARD PLATINA PT
SMT-3179 | TEFLON CARD PURPLE PT
SMT-3189 | TEFLON CARD PEACH PT



- SMT-3150 | YEL-LO PLEK HARD TEFLON SQUEEGEE 93" (WHITE)**
- SMT-3147 | YEL-LO PLEK VERY SOFT, FLEXIBLE SQUEEGEE 35" (BLACK)**
- SMT-3148 | YEL-LO PLEK MEDIUM SQUEEGEE 72" (GOLD)**
- SMT-3149 | YEL-LO PLEK SOFT, FLEXIBLE SQUEEGEE 40" (GREEN)**

This multi-function squeegee can be used for window films, car wrapping and paint protection film installation. Suitable for narrow and slightly curved surfaces and for lifting recesses and rubber seals. 93" hard Teflon, 72" medium, 40" soft, flexible, 35" very soft, flexible



- SMT-3151 | YEL-LO PLEK BLADE GOLD SQUEEGEES**
- SMT-3152 | YEL-LO PLEK BLADE ORANGE SQUEEGEES**

The Yel-Lo Plek Blade is an even thinner version than the Yel-Lo Plek squeegees. This makes it even easier with this special squeegee to perform applications in narrow bodywork areas and small corners. It can also be used to lift a wide variety of rubber seals or to work paint protection films into bumper recesses.

SMT-3140 | DURA CHISEL

Plastic card with a strengthened edge for film removal. Similar to Lil Chizler but with a thicker edge.



SMT-3105 | LIL CHIZLER

Ideal for removing decals, film or adhesive from sensitive surfaces. Used for pressing down small film creases or air bubbles.

HINT: You can also use this tool for cleaning barbecue, no kiddin'.


SMT-3109 | THE CHIZZLER

One sized polycarbonate tool has proven invaluable for removing materials and applying others in tight corners.

HINT: Has a rigid edge and harder than the Lil Chizler, not as sharp, but much more durable.

SMT-3145 | YELLOW CHISLER SOFT

Small, very flexible squeegee for hard-to-reach spots



SMT-3113 | THE CONQUERER

The Conquerer is the original corner reach tool. Features a soft squeegee blade along one edge and point hard card tips on the ends making it a versatile staple to any tool kit.

SMT-3114 | BLUE CONQUERER

Similar to the original Conquerer (SMT-3113) with a slightly harder durometer for more squeegeeing power.

SMT-3186F | FELT SQUEEGEE

The soft felt is designed to avoid scratching. Recommended for paint protection or vinyl graphic installations.



SMT-3119 | EZ REACH

With smooth edges and a precision point, this tool will enable you to lay down the film and push out creases in the tightest areas.

SMT-3120 | GREEN CONTOUR

Designed to match all those concave surfaces installers see every day. A great fit for window film, paint protection or vinyl installs. The elongated triangular shape gets into all those hard-to-reach areas.

SMT-3125 | CONTOUR YELLOW

A universal squeegee which can be used for any film. It is especially popular with window tinters.



SMT-3143 | PLATINUM CONTOUR

Universal squeegee, popular with window film installers

SMT-3144 | EZ WING PEACH

A special triangular squeegee with a curved edge (for easier application), reinforced front tip (to reach deeper under seals), and a special top tip (for smoothing out wrinkles).

SMT-3112W | GASKET PUSH STICK, WHITE

SMT-3112B | GASKET PUSH STICK, BLUE

This tool is used for pushing down door window gaskets to assist in film installation on roll down windows.



SMT-3199 | ARLON GREY SQUEEGEE

Arlon grey squeegee for car wrapping films 10 pieces/pack.

SMT-3199-FELT | ARLON GREY SQUEEGEE FELT

Specially developed felt material for Arlon FLI-TE adhesive technology. Applied with gentle pressure, it perfectly processes the film.

SMT-3115 | SOTT THE HUSTLER

This cleverly shaped squeegee is a must for every installer. Its different sides make it extremely practical for pushing film under rubbers, into mirror housings or around roof racks without damaging the film.



SMT-3162 | YELLOTOOLS PROWRAP BETTY S32
SMT-3163 | YELLOTOOLS PROWRAP BETTY S40
SMT-3117 | YELLOTOOLS PROWRAP BETTY S65

The Pro Wrap Betty has been specially developed for car wrapping, thanks to the new 30° shape. Available in the following variants: Betty S32: 32 Shore D Betty S40: 40 Shore D Betty S65: 65 Shore D Recommended squeegee pads for this: SMT-3473, SMT-3474.



SMT-3116 | THE FACTOTUM II

The Factotum is the ultimate solution for those hard-to-reach spots that every installer encounters regularly. Both ends have different shapes so no crevice or gap poses a problem for this amazingly useful instrument. Strong and flexible.



SMT-3153 | FUSION GOLD REFLEX 15 CM
SMT-3154 | FUSION YELLOW REFLEX 15 CM

The Fusion Gold Reflex is an ergonomic plastic squeegee designed for everyday use. It features a curved design with a wide grip for stability, complemented by a finger support for comfortable handling. Measuring 15 cm, it has a pointed edge at one end, making it ideal for application in hard-to-reach areas and corners. The gold version is softer, while the yellow version is a harder type.

SMT-3155 | FUSION GOLD SIDE PIECE 10 CM
SMT-3156 | FUSION YELLOW SIDE PIECE 10 CM

The Fusion Side Piece squeegees ensure easy handling, thanks to their double finger support design: both the thumb and index finger have designated spots, making it much more comfortable to grip and work in hard-to-reach areas (such as corners) when applying film. The yellow version is harder, while the gold version is softer.




SMT-3184 | YELLOTOOLS APE DUO RED SQUEEGEE

The squeegee fits perfectly in your hand and you feel comfortable with it right away. The two-layer construction gives stability and flexibility at the same time. Different edges of 30, 45 and 90 degrees allow different pressures to be applied. When window tinting, the liquid can be optimally worked out of the film and by simply turning the squeegee, the pressure can easily be increased. DuoGreen is harder, DuoRed is the softer version of this professional squeegee.

SMT-3185 | YELLOTOOLS APE DUO GREEN SQUEEGEE

SMT-3182 | PPF SANDWICH 4" SQUEEGEE

This squeegee, which is actually unusually thin for PPF or tinted film applications, is nevertheless stable enough to exert optimum pressure on the squeegee edge.



SMT-3194 | GREEN PPF SQUEEGEE FOR PAINT PROTECTION FILM APPLICATIONS
SMT-3196 | BLUE PPF SQUEEGEE FOR PAINT PROTECTION FILM APPLICATIONS
SMT-3195 | YELLOW PPF SQUEEGEE FOR PAINT PROTECTION FILM APPLICATIONS
SMT-3188 | PINK PPF SQUEEGEE FOR PAINT PROTECTION FILM APPLICATIONS

Green 85 durometer Blue 88 durometer Yellow 80 durometer, soft Pink 90 durometer, soft



SMT-3314 | APE FOAM POTION 1LITER

Perfectly coordinated bonding aid for paint protection films. Using this pH-neutral liquid for the installation of PPF is unparalleled! Biodegradable, skin-friendly and clinically tested. It allows fast adhesion after scraping; it contains no alcohol; it can be washed out very easily. Great to use with an Ape Duo Green or Ape Duo Red squeegee.



SMT-3315 | APE APPLE POTION 1LITER


Perfectly coordinated bonding aid for paint protection films. This liquid allows the film to "glide" perfectly on the one hand and on the other hand to fix and adhere quickly if desired. Even the removal of the film after a short time is possible without problems and makes possible corrections easier. Biodegradable, skin-friendly, pH-neutral, and clinically tested. Great to use with an Ape Duo Green or Ape Duo Red squeegee.



SMT- 3168-15 | PPF HORNET 15CM
SMT- 3168-10 | PPF HORNET 10CM

SMT- 3168-5 | PPF HORNET 5CM
SMT- 3168-1,2 | PPF HORNET 1,2CM

With the appearance of hydrophobic paint protection films, installers are in need of softer and more sliding squeegees. From this realization was PPF Hornet born, 2 softer squeegees molded on a harder carrier. Available in 4 sizes.



SMT-3308 | ORGANIC PPF GEL 5L

Application gel developed for PPF. This gel has been developed to assure the least exposure to harmful chemicals of our fellow installers. Most products in the industry have a vast percentage of isopropyl alcohol (IPA) among their ingredients, our aim when developing the Organic PPF Gel was to find a much more installer friendly solution for installing.

SMT-3302 | DE-TACK SOLUTION

Specially formulated to decrease the initial tack of the adhesive to the surface. Spray on a microfiber towel, then apply onto the surface and wipe off the edges, cca. 1-2 cm from the sides with alcohol cleaner sprayed onto another cloth. Wait till it dries, then begin the installation. The De-Tack Solution will evaporate from beneath the film in about 1-2 weeks time, ensuring the maximum grip on flat surfaces as well. During installation you should not notice any squeegee and lift lines. If tack is still too strong, you can apply more layers of the De-Tack Solution.



SMT-3108 | PURPLE SQUEEGEE

A squeegee specifically developed for the installation of air channel paint protection films. It glides smoothly over the surface of the film, while its material is soft enough to be easily used on curved surfaces. It is not only recommended for air channel paint protection films but is also ideal for working with other types of films.

SMT-3158 | AQUA BUFFER FILC

Special felt designed for the application of colored paint protection films. It provides excellent glide and ensures the right amount of pressure for optimal application results. Due to its material, it leaves minimal marks on the surface. Available in packs of 10.



SMT-3224 | THE REACH SQUEEGEE

For sedan cars, squeegeeing at the bottom of the rear windshield is a very hard task. This revolutionary tool makes it so far the easiest to finish the material at hard-to-reach spots.

SMT-3258 | MAGNUM RED LINE SQUEEGEE BLADE

This giant squeegee was developed to make tinting easier on hard-to-reach rear windshields. Paired with the Fusion Auto Stretch handle, it is currently the most effective combination in the industry.

SMT-3296 | FUSION AUTO STRETCH COMBO HANDLE & SQUEEGEE

The newest squeegee from Fusion Tools, developed specifically for hard-to-reach rear windshields. Compared to this, all previous solutions are just toys.



SMT-3215 | SCRUBBER

With the help of this tool, you can reach behind speakers and brake lights, and also remove adhesive residue from the lower section of curved rear windows.

SMT-3164 | YELLOTOOLS YELLOMINI HANG-LOOSE 45

Squeegee for hard-to-reach areas.

SMT-3165 | YELLOTOOLS YELLOMINI HANG-LOOSE 90

Squeegee for hard-to-reach areas.



SMT-3166 | YELLOTOOLS ALLSTAR BLUE

Squeegee for hard-to-reach areas with a unique shape.

SMT-3167 | YELLOTOOLS YELLOMINI GOLD

Squeegee for hard-to-reach areas with a unique shape.

MT-3200 | 5-EDGED TOOL

The 5-Way Tool is great as a trim guide or wrap it in a paper towel to use it as a „bump tool“ to get water out

ProToolsNow.com™

ONE GREAT SITE FOR TOOLING AROUND

Pro Tools Now, designed by Bob Williams, has been helping installers since 1991. Every tool is designed personally by **Bob, who has been an installer himself for 30 years**, which means his tools are born out of practical needs. **Pro Tools Now is constantly developing as automotive shapes become more complex; at the same time**, beside tools for window films, PPF and wrapping accessories have also been introduced.



SMT-3427 | SUNNY TUCKER

Sunny Tucker is a tool specially designed for car wrapping. One end is perfectly fit for squeegeeing hard-to-reach edges, such as edges at doors and around headlights. The other end also makes squeegeeing easier at hard-to-reach spots.



SMT-3128 | 4" SPEED WING LIME
SMT-3129 | 6" SPEED WING LIME

SMT-3130 | 4" SPEED WING LEMON
SMT-3131 | 6" SPEED WING LEMON

SMT-3132 | 4" SPEED WING CHERRY
SMT-3133 | 6" SPEED WING CHERRY

Squeegee with one straight and one slightly curved side, made from high quality materials for good slidability. Available in 10 cm and 15 cm versions



SMT-3134 | GRIP-N-GLIDE YELLOW
SMT-3135 | GRIP-N-GLIDE ORANGE

SMT-3136 | GRIP-N-GLIDE YELLOW BLADE
SMT-3137 | GRIP-N-GLIDE ORANGE BLADE

Grip-N-Glide features an ergonomic handle with a high performance, interchangeable blade. For window film, car wrap and PPF applications.



SMT-3201 | RED TITAN

Allows longer reach, has a rigid structure for more water removal, and its unique design will easily lift inner and upper door seals.

SMT-3202 | SLAMMER

Used for cleaning corners and along gaskets and wicking water out along borders. Easily reaches rear windows and sharp angled corners.

SMT-3203 | QUICK FOOT BLUE

A stiff squeegee with a handle for jobs that require medium reach. Slim and trim with an unwrapped handle.



SMT-3207 | BULLDOZER
SMT-3207G | GREEN BULLDOZER
SMT-3207 ECO | BULLDOZER ECO

The Bulldozer is used in automotive applications. It allows you to get to those hard to reach areas, such as behind speakers, brake lights, low angles and rear windows. Features a 15 cm squeegee blade and is 38 cm in overall length.



SMT-3206 | SIDE SWIPER

This squeegee is ideal for getting behind brake lights and in lower areas of rear windows.

SMT-3208 | SLIM FOOT

The slim foot has a slender design than can reach into tighter openings. This no rib squeegee helps reach behind brake lights and has a vinyl grip for secure handling.

SMT-3181 | FLEXI EDGE 6"

This double edged tool is effective for a variety of materials: polyester film, vapor coated material, vinyl, tape, adhesives, and most psa needs. The comfortable profile allows easy use of each edge, the flexibility allows for maximum conformity. Use the rigid edge for heavy applications, the thin rubber based edge for thin films, protecting against tearing and scratching.



SMT-3210 | SILVER SECURITY BLADE


8" Blue Squeegee Blade replacement for the 8" Silver Security Squeegee (SMT-3209).

SMT-3214 | AVERY FLEXTREME

The FleXtreme is a micro-squeegee specifically designed for vinyl graphics applications. The blue (harder) one is for narrow curves and edges. The red (softer) one is ideal in narrow, concave parts of a car.

SMT-3214ECO | TUCKING TOOL SET

The squeegee kit with three different hardnesses (blue - soft; red - medium; black - hard) was developed to reach hard-to-reach places, makes the work more enjoyable and faster, while also eliminating the need to remove certain elements.




SMT-3214BU | SINGLE TUCKING TOOL SOFT

SMT-3214R | SINGLE TUCKING TOOL MEDIUM

SMT-3214BK | SINGLE TUCKING TOOL HARD

The separate part of the SMT-3214 ECO, developed for using the squeegee in hard-to-reach places, makes the work more enjoyable and faster, while also eliminating the need to remove certain elements.



SMT-4141 | EDGE SEAL TAPE 13MMx50M

Special edge sealing tape, ideal for window film graphics, wrapping films and window films, especially for the sealing when the glass is larger than the roll width. High gloss, ultra clear PVC, 50 microns thick, permanent adhesive, 13mmx30M.

SMT-4142 | EDGE SEAL TAPE 13MMx50M MATTE BLACK

Special edge sealing tape, 50-micron cast PVC, matte black. Suitable for sealing edges of full wraps and for sealing the edges of window films or overlaps within glass panels.



SMT-3226-20 | FUSION HANDLE 20CM

SMT-3226-12,5 | FUSION HANDLE 12,5CM

SMT-3226-12,5S | FUSION HANDLE SHORT 12,5CM

Especially developed for Fusion Tools squeegees, this handle provides maximum power. Available for 12,5 cm and 20 cm squeegee blades as well as shorter version for 12,5 cm wide squeegees.



SMT-3291-20 | FUSION BIG MOUTH HANDLE 20CM

SMT-3291-12,5 | FUSION BIG MOUTH HANDLE 12,5CM

A high quality handle designed for the Red Line Extractor 3/8" thick blades to squeegee the thickest security films.

SMT-3292-20 | FUSION STRETCH 20CM

SMT-3292-12,5 | FUSION STRETCH 12,5CM

Special extended handle, 37 cm long ideal for 12,5 cm wide Fusion squeegee blades, enables you to apply pressure with 2 hands, resulting in even better water removal.

SMT-3293-20 | FUSION BIG MOUTH STRETCH 20CM

SMT-3293-12,5 | FUSION BIG MOUTH STRETCH 12,5CM

Extended (37 cm) squeegee handle, enabling application of pressure with 2 hands. Recommended for anti graffiti, thick security and front windshield protection films



SMT-3294 | FUSION 5 SHORTY


With a shorter handle and no parts standing out of the design, the Fusion 5 Shorty was specifically developed for automotive tinting. With this handle you can get into hard-to-reach spaces a lot easier, without damaging any parts.

SMT-3297 | CAST ALUMINIUM HANDLE FOR SMT-3222ECO

Cast aluminum grip with short handle for the SMT-3222ECO squeegee.

SMT-3298 | CAST ALUMINIUM LONG HANDLE FOR SMT-3222ECO

Cast aluminum grip with long handle for the SMT-3222ECO squeegee.




SMT-3256-20 | FUSION ORANGE CRUSH, BEVEL, 20CM

SMT-3256-12,5 | FUSION ORANGE CRUSH, BEVEL, 12,5CM

The Orange Crush is the original squeegee blade from Fusion Tools. Since its creation we have continued to better the formula for the Orange Crush, thus Orange Crush remained one of the favourite squeegees of the industry.

SMT-3225 | FUSION ORANGE CRUSH, CROPPED, 12,5CM

The Orange Crush is the original squeegee blade from Fusion Tools. Since its creation we have continued to better the formula for the Orange Crush, thus Orange Crush remained one of the favourite squeegees of the industry.




SMT-3257 | FUSION CLEAR CRUSH, BEVEL, 12,5CM

Designed for automotive window film installation, flexible enough to follow the form of the windscreen, yet stiff enough to bring the pressure for water removal. Available in rectangle and cropped.

SMT-3254-20 | FUSION FLAT OUT, BEVEL, 20CM
SMT-3254-12,5 | FUSION FLAT OUT, BEVEL, 12,5CM

Specially developed for architectural window film installation, an industry standard for thick films such as security and graffiti films. This 95 durometer squeegee is made with our triple slip additive injection molded patented TPU process and materials. Fits all standard Fusion Handles perfectly.




SMT-3227 | FUSION FLAT OUT, CROPPED, 12,5CM

Specially developed for architectural window film installation, an industry standard for thick films such as security and graffiti films. This 95 durometer squeegee is made with our triple slip additive injection molded patented TPU process and materials. Fits all standard Fusion Handles perfectly.

SMT-3255-20 | FUSION THE HYBRID, BEVEL, 20CM
SMT-3255-12,5 | FUSION THE HYBRID, BEVEL, 12,5CM

A Hybrid of 2 favourite squeegee blades in the industry, on one side it is an Orange 85 durometer squeegee blade and on the other side a harder Blue 95 durometer. This double blade features double beveled working edges.



SMT-3250-20 | FUSION RED LINE EXTRACTOR 1/4", BEVEL, 20CM

SMT-3250-12,5 | FUSION RED LINE EXTRACTOR 1/4", BEVEL, 12,5CM

The Fusion Red Line normal thickness squeegees are the masters of water removal. Double beveled means that both sides can be used, resulting in double lifespan. No bevel profile gives you 4 edges to work with and is capable of extreme liquid removal, especially when working with thicker films. Using these blades in Fusion Handles will give you a tool that is efficient and fast to work with.

SMT-3251-12,5 | FUSION RED LINE EXTRACTOR 1/4", CROPPED, 12,5CM



SMT-3252-20 | FUSION RED LINE EXTRACTOR 1/4", NO BEVEL, 20CM


SMT-3252-12,5 | FUSION RED LINE EXTRACTOR 1/4", NO BEVEL, 20CM

The Fusion Red Line normal thickness squeegees are the masters of water removal. Double beveled means that both sides can be used, resulting in double lifespan. No bevel profile gives you 4 edges to work with and is capable of extreme liquid removal, especially when working with thicker films. Using these blades in Fusion Handles will give you a tool that is efficient and fast to work with.

SMT-3253-20 | FUSION RED LINE EXTRACTOR 3/8", NO BEVEL, 20CM

SMT-3253-12,5 | FUSION RED LINE EXTRACTOR 3/8", NO BEVEL, 12,5CM


50% thicker than the normal Red Line Extractor series, especially designed for thicker safety and security films. Provides the highest water removal in the industry. Made to accompany our Fusion Big Mouth Handles.



SMT- 3280-9 | FUSION TURBO PRO HANDLE
WHITE 9CM
SMT- 3280-14 | FUSION TURBO PRO HANDLE
WHITE 14CM
SMT- 3280-20 | FUSION TURBO PRO HANDLE
WHITE 20CM

SMT- 3281-9 | FUSION TURBO PRO HANDLE
GREY 9CM
SMT- 3281-14 | FUSION TRUBO PRO HANDLE
GREY 14CM
SMT- 3281-20 | FUSION TRUBO PRO HANDLE
GREY 20CM

The Fusion Turbo Pro series is the first injection molded triangular shaped squeegee in the world, which shows better slip, durability and more consistency than other models. All colors are available in 3 sizes (9, 14, 20 cm), any can be cut to custom size. Two different handles are available. The narrower white handle for those who prefer grabbing with fingertips and the larger grey handle, for those who prefer to hold it in their hand.



SMT- 3270-9 | FUSION TURBO
PRO PINK 9CM
SMT- 3270-14 | FUSION TURBO
PRO PINK 14CM
SMT- 3270-20 | FUSION TURBO
PRO PINK 20CM

SMT-3271-9 | FUSION TURBO
PRO GREEN 9CM
SMT-3271-14 | FUSION TURBO
PRO GREEN 14CM
SMT-3271-20 | FUSION TURBO
PRO GREEN 20CM

SMT-3272-9 | FUSION TURBO
PRO BLACK 9CM
SMT-3272-14 | FUSION TURBO
PRO BLACK 14CM
SMT-3272-20 | FUSION TURBO
PRO BLACK 20CM



SMT- 3273-9 | FUSION TURBO
PRO YELLOW 9CM
SMT- 3273-14 | FUSION TURBO
PRO YELLOW 14CM
SMT- 3273-20 | FUSION TURBO
PRO YELLOW 20CM

SMT- 3274-9 | FUSION TURBO
PRO ORANGE 9CM
SMT- 3274-14 | FUSION TURBO
PRO ORANGE 14CM
SMT- 3274-20 | FUSION TURBO
PRO ORANGE 20CM

SMT- 3275-9 | FUSION TURBO
PRO RED 9CM
SMT- 3275-14 | FUSION TURBO
PRO RED 14CM
SMT- 3275-20 | FUSION TURBO
PRO RED 20CM



SMT-3213 | UNGER + BLUE MAX
Ready-to-use installation squeegee that uses angled Blue Max (SMT-3211) and specially modified Unger Pro handle.

SMT-3211 | BLUE MAX
Installation squeegee for automotive and flat glass applications. Stiffer than SMT-3212, so this tool is excellent for water removal.

SMT-3222 | 5" BLUE MAX
SQUEEGEE, STRAIGHT
One of the basic tools of the window film professional. Blue Max can be used very well to remove large quantities of water during installation. Slanted, straight edge



SMT-3222ECO | BLUE MAX
BLADE
One of the basic tools of professionals working with window films, this is a squeegee that is very similar to the Blue Max. Perfectly suitable for displacing large amounts of water during installation. Cropped edge version with straight sides.

SMT-3223 | 5" BLUE MAX
SQUEEGEE, SQUARE
One of the basic tools of the window film professional. Blue Max can be used very well to remove large quantities of water during installation. The square-edged squeegee is even stronger, recommended specifically for safety films

SMT-3218 | THE EXTRUDER
Aluminium profile to be fit into an Unger handle (SMT-1300), which provides an extra wide, 20-cm squeegee head and good stiffness. The handle and squeegee refills are available separately.
Channel refill: SMT-3219.



SMT-3219 | 8" BLUE CHANNEL
SQUEEGEE REFILL
Squeegee refill for The Extruder (SMT-3218).

SMT-3234 | STROKE DOCTOR
Thanks to its special form this tool can bring even pressure when applied in hard-to-reach spaces. Combined with the special Fusion blades (SMT-3235, SMT-3236) the efficiency can be further increased.



PPF

PPF

PPF

SMT-3228 | FUSION HAND DEE


With regular squeegee handles it was impossible to get to hard-to-reach places, thus the Fusion Hand Dee was born. As this handle is also widely used to squeegee paint protection film, we added 2 magnets that help to keep the film in position before squeegeeing.

SMT-3229 | FUSION PINK CLEAN, CROPPED, 12,5CM

The Pink Clean is the softest squeegee blade with Fusion Tools, specifically designed extremely flexible to easily conform to curved surfaces while squeegeeing. We recommend this blade for cleaning and squeegeeing purposes.

SMT-3170 | FUSION PPF BLACK OUT, CROPPED, 12,5 CM

Especially developed for paint protection films. The PPF Black Out features a high content of slip additives to help the tool slide easily across paint protection films.



PPF

PPF

PPF

NEW

SMT-3171 | FUSION PPF BLACK OUT, BEVEL, 12,5CM

Squeegee designed for paint protection film installations with additives promoting slideability. It fits into the Fusion Hand Dee handle.

SMT-3230 | FUSION CLEAR CRUSH, CROPPED, 12,5CM

Designed for automotive window film installation, flexible enough to follow the form of the windscreen, yet stiff enough to bring the pressure for water removal. Available in rectangle and cropped.

SMT-3295 | T-SHAPED, THREE-LAYER SQUEEGEE

T-shaped, three-layer squeegee, 10 cm in size; the black side is harder, the yellow side is softer. Excellent for installing paint protection films.



PPF

NEW

NEW

SMT-3299-7,5 | SMT-3299-10 | SMT-3299-12 | T-SHAPED BLACK SQUEEGEES

T-shaped, rubber-coated, soft, black squeegees in three different sizes: 7.5 cm, 10 cm, and 12 cm. Excellent for squeegeeing paint protection films, especially in harder-to-reach areas. Hardness of 90 durometer.

SMT-3489 | STRONG HANDLE METAL NOZZLE, 4 METERS HOSE, 1 CONNECTION PART

Professional extension tube with metal nozzle at the end, additional accessory for SMT-3415XL and XXL. Length: 4 meters



NEW

NEW

SMT-3415XL | SKYFOL 9,5L PRESSURE TANK

Do you need to install PPF on an entire car? Working on a larger building project? Mix in the solution once and use this high-pressure compressor sprayer for the entire job. Capacity: 9.5 liters.

SMT-3415XXL | SKYFOL 19L PRESSURE TANK

Do you need to install ppf on an entire car? Working on a larger building project? Mix in the solution once and use this high-pressure compressor sprayer for the entire job. Capacity: 19 liters.



NEW

NEW

SMT-3417XL | 9,5L PRESSURE TANK

Do you need to install ppf on an entire car? Working on a larger building project? Mix in the solution once and use this high-pressure compressor sprayer for the entire job. Capacity: 9.5 liters


SMT-3417XXL | 19L PRESSURE TANK

Do you need to install ppf on an entire car? Working on a larger building project? Mix in the solution once and use this high-pressure compressor sprayer for the entire job. Capacity: 19 liters




SMT-3259 | MAGNETIC WRAP STICK


The WrapStick series was developed for squeegeeing at hard-to-reach spots. It makes your job more beautiful and easier, and also makes it unnecessary to remove certain elements.



SMT-3260 | MAGNETIC WRAP STICK



SMT-3261 | MAGNETIC WRAP STICK



SMT-3262 | MAGNETIC WRAP STICK


The WrapStick series was developed for squeegeeing at hard-to-reach spots. It makes your job more beautiful and easier, and also makes it unnecessary to remove certain elements.



SMT-3263 | MAGNETIC WRAP STICK



SMT-3264 | MAGNETIC WRAP STICK



SMT-3265 | MAGNETIC WRAP STICK

The WrapStick series was developed for squeegeeing at hard-to-reach spots. It makes your job more beautiful and easier, and also makes it unnecessary to remove certain elements.



SMT-3300 | SOTT ADHESIVE ACTIVATOR PRIMER, 100ML

A special primer developed for films, Adhesive Activator neutralizes the silicone content of water-based paintworks, ensuring adequate adhesion to blind windows.



SMT-3403 | BLACK RUBBER SQUEEGEE

71 cm Squeegee tool used for glass cleaning, usually cut into smaller lengths before use.



40cm

SMT-4308-40 | YELLOWTOOLS LOWRIDER EXTENSION CHAIR, 40 CM

This extension chair is fully compatible with the YellowTools LowRider chair and can be used to extend the height by 40 cm.



25cm

SMT-4308-25 | YELLOWTOOLS LOWRIDER EXTENSION CHAIR, 25 CM

This extension chair is fully compatible with the YellowTools LowRider chair and can be used to extend the height by 25 cm.



SMT-4308 | YELLOTOOLS LOWRIDER CHAIR

Special chair developed for car wrapping, with wheels, magnet holders and storage space for tools. The low construction makes wrapping bumpers and skirts a lot more comfortable. With accessories, the height is adjustable.



SMT-3431 | CARBON FIBER ANTI-STATIC GLOVE, SIZE XL

The glove is made of carbon fiber, with strong elasticity and moisture absorption. Due to its dust- and non-slip surface, it can be used for any kind of film installation, preventing the formation of dirt during the work process. Packed individually.



SMT-3412 | SOTT APPLICATION GLOVES - LARGE

Thanks to its white material, this application glove helps you to check whether the surface and/or the vinyl is clean. It is a perfect fit, which makes it practical for dealing with curved surfaces on cars. It is made of dust-free material, so even touching the adhesive of the vinyl will not cause any residue to be left behind.



SMT-3416 | WRAPPING GLOVES PRO

SMT-3416 XL | WRAPPING GLOVES PRO

The wrapping gloves are made of thick, cotton material. These products are also cut- and heat resistant. It helps to smooth the film on the surface and curves.



SMT-3420L | WRAPGLOVE SMT-3420XL | WRAPGLOVE

WrapGlove, highly praised by the signage industry, is now available in Europe. Try the original WrapGloves, manufactured in the USA.

HINT: These are some real durable wrapping gloves.



SMT-3454S/M/L/XL | SUPERGLOVE

The first gloves for the graphics industry that don't need to be wet, they slide perfectly also when dry. Extra durable, washable. Available in 4 sizes.



SMT-3404 | AVERY GLOVES

The Application Glove is a soft, seamless cotton glove that helps smooth graphics over the application surface and into curves and recesses. Packed individually.



SMT-3418G
SMT-3418R
SMT-3418Y
SMT-3418B | **KWAZAR MERCURY PRO+ SUPER 360 SPRAYER, 1L**

A revolutionary novelty among sprayers, sprays also when the handle is released, and thanks to its flexible, weighted hose, even upside down. Capacity: 1L



SMT- 3479 | **KWAZAR MERCURY PRO+ SUPER 360 SPRAYER 0.5L**

While working on an installation, sprayers are often used tilted or upside down. This professional tool has a flexible hose, so it can be used upside down as well. It sprays also when the handle is released, which means half as many spray movements as with regular ones. Capacity: 0.5L



SMT- 3480
SMT- 3482 | **KWAZAR VENUS PRO+ SUPER 360 SPRAYER 1L/2L**

Professional pump sprayer that keeps pressure very well. Thanks to its flexible hose, it can also be used upside down. With its adjustable nozzle, you can spray anywhere. This tool has an extra durable tank. Capacity: 1L,2L



SMT- 3481 | **KWAZAR ORION PRO+ SPRAYER 12L**

Will you install PPF on a full car? Are you working on a large surface architectural job? Mix the solution once and use the Kwazar Orion pump sprayer for the whole job. Capacity: 12L



SMT-3484 | **KWAZAR VENUS PRO+ SOLVENT SPRAYER 1,5L**

It is used for solvent applications in car workshops, paint shops and industry. Very well suited for degreasing of brake discs and mechanical parts, removing silicone and wax from surfaces.



SMT-3483 | **KWAZAR VENUS HD2 FOAMER BOX**

Designed for application of foaming agents. It is used in car washes and car repair shops, particularly for car pre-washing or cleaning the rims and engine compartments. It can also be used for spot cleaning of building facades. Includes 3 tips for thick, medium and thin foam.



SMT-3401 | **HARD CARD SHARPNER**

This handy device allows you to sharpen the edges of nearly any hard card, teflon card or bondo card in your tool box in a matter of seconds.




SMT- 3439 | **SMOOTH-IT BALCK**

A tool for restoring squeegee edges. With fine tension, move the squeegee up and down to restore its edges. The black version is intended for more serious damages. Replacement insert: SMT-3441




SMT-3440 | **SMOOTH-IT GREY**

A tool for restoring squeegee edges. With fine tension, move the squeegee up and down to restore its edges. The grey version is intended for light damages. Replacement insert: SMT-3442



SMT-3441 | **SMOOTH-IT SPARE MATS, BLACK**

Replacement insert for SMT-3439. Black, intended for more serious damages.




SMT-3442 | **SMOOTH-IT SPARE MATS, GREY**

Replacement insert for SMT-3440. Grey, intended for light damages.



SMT-3446 | **YELLOTOOLS YELLOQUICK STICK**

With this well balanced surface-tension pen, you get a perfect idea of the tension of your surface. This way you will have proof if you are ready to go or if you have to re-clean again.



SMT-3405 | **AVERY MAGNET**

The Magnet is a highly practical aid for holding and positioning graphics on a substrate. The strength of magnetic attraction is sufficient to replace masking tape.



SMT-3433 | **VINYL MAGNET HOLDER**

Magnet for film positioning, for a reasonable price




SMT-3434 | **LARGE HOLDING MAGNET**

Extra strong, large magnet to fix large film pieces or to store tools.



SMT-3443 | SOAK SHIELD ROPE-ORIGINAL

Absorbent rope braid used for absorbing water running down behind the dashboard of a vehicle while installing film. Helping to protect the electronics and other parts from water damage. Can be reused as many times as needed.



SMT-3444 | SOAK SHIELD ROPE-MINI



SMT-3445 | SOAK SHIELD ROPE-XL



SMT-3460 | YELLOTOOLS LACYTIP HD L BLUE

A tool to install the material under rubber sealings, seams, mouldings and other hard-to-reach spots.



SMT-3461 | YELLOTOOLS LACYTIP HD L TEFLON BLUE

A tool to install the material under rubber sealings, seams, mouldings and other hard-to-reach spots.



SMT-3462 | YELLOTOOLS LACYTIP HD XL RED

A tool to install the material under rubber sealings, seams, mouldings and other hard-to-reach spots.



SMT-3463 | YELLOTOOLS LACYTIP HD XL TEFLON RED

A tool to install the material under rubber sealings, seams, mouldings and other hard-to-reach spots.



SMT-3407 | YELLOW FILM MARKER PENCIL

Handy for three basic purposes: 1) marking film prior to installation of windows with unusual shapes; 2) circling a contaminate (hair or fiber) before pulling back the film; 3) marking film edges to check for glass movement on side roll-ups when trimming. Yellow grease mark easily wipes away.



SMT-3408 | THIN CORRECTING PEN

Used by installers to hide fine line mistakes in trimming which cause excess light intrusion at the film edge.



SMT-3409 | THICK CORRECTING PEN

Used by installers to hide fine line mistakes in trimming which cause excess light intrusion at the film edge.



SMT-3410 | SELF-ADHESIVE FELT LINE, 1.9 CM

SMT-3411 | SELF-ADHESIVE FELT LINE, 3.8 CM


Self-adhesive felt stripe.

HINT: For those roll down windows that lack factory felt.




SMT-3204 | SOTT ROLLERPRO

Rollepro is an excellent help if you need to laminate the film on an uneven surface: its hard spongy surface takes on any shape while providing even pressure. It is very useful for fast work on shabby surfaces, recesses (e.g. brick wall), rivets or extremely textured films (e.g. Cover Styl, Glitter).




SMT-3449 | SUPER FINE TIP

Weeder with a pointed tip for removals.



SMT-3429 | WEEDING HOOK

Special hooked tool for removals and for film finishings.



SMT-3448 | FLAT AND ROUND TIP

Weeder with a curved tip for removals.



SMT-3465 | YELLOTOOLS RUBBERLIFT

A tool to lift rubber sealings, without scratches.

SKYFOL

PPF WRAP

the HIGH end WRAPS

MORE DURABLE THAN
PVC CAR WRAP FILMS

Skyfol has expanded the palette of coloured paint protection films. Experience the ultimate fusion of efficient protection, extra durability and style with our high-end wraps that elevate film installation to a new level.

Innovation

PPFS FOR TRADITIONAL WET INSTALLATION METHOD AND MATERIALS WITH AIR CHANNEL TECHNOLOGY ARE ALSO AVAILABLE

In addition to films with the traditional wet installation method, we also offer air channel technology, enabling a dry installation process.

SELF-HEALING
FEATURE

UNIQUE STYLE

NEW COLOURS AVAILABLE

- BETTER GLOSS THAN THE ORIGINAL FACTORY PAINTWORK!
- DURABLE PROTECTION COMBINED WITH STUNNING APPEARANCE, PERFECT GLOSSY COLOURS

EASILY ACCESSIBLE
FROM STOCK

PROTECTION WITH UNPARALLELED ELEGANCE

Skyfol PPF Wrap not only protects the vehicle against damages but also provides a perfect glossy colour with a stunning appearance that turns heads wherever you drive the car.

AVAILABLE DIRECTLY FROM STOCK

A wide range of colours are available right away from stock. No need to give up your most precious colour just because it's not kept on stock! Got a damaged car with coloured PPF that needs fixing? Say goodbye to waiting for weeks and months to match the exact colour! It will be easy to replace with the in-stock films, accessible through your local exclusive Skyfol distributor! No need to buy a full roll, simply request the length in cut linear meters that suits your needs.

DISCOVER THE FUTURE OF CAR WRAPPING—WHERE PROTECTION MEETS PERFECTION.



NEW

SMT-3464 | FLIPPER EDGE SPECIAL TOOL FOR FINISHING EDGES

A tool for finishing the edges. Low-friction plastic for an easy use and aluminium material for durability.



SMT-3447 | FINE TIP CURVED

Excellent quality tweezer with a pointed tip and slanted head.



NEW

SMT-3466 | YELLOTOOLS SIGTWEEZER HOOK

High-quality, pointed, angled-tip tweezer, length 13.4 cm.



SMT-3467 | YELLOTOOLS WRAPFINGER

If you don't want to work in gloves but would welcome them on a finger, WrapFinger is for you.



SMT-3496 | WRAP TWEEZER DISC

A pair of tweezers with a plate-shaped tip that is serrated in such a way that it grips the film securely, so it can be pulled perfectly without slipping out.



SMT-3497 | WRAP TWEEZER SPADE

A pair of tweezers with a plate-shaped tip that is serrated in such a way that it grips the film securely, so it can be pulled perfectly without slipping. The AutoLock variant can also be locked to keep your hands as free as possible.



SMT-3498 | WRAPTWEEZER SPADE

A pair of tweezers with a plate-shaped tip that is serrated in such a way that it grips the film securely, so it can be pulled perfectly without slipping.



SMT-3471 | YELLOTOOLS YELLOBRUSH

2-in-1: a brush for finishing the film on rivets on one end, a needle to punch bubbles on the other.



SMT-3472 | YELLOTOOLS YELLOSTRAP

Toolstrap for the wrist with uniquely variable storage spaces.



SMT-3490 | YELLOSTRIFE FELT 3 METER

Thick, padded self-adhesive felt. Recommended for wet installation, for lamination on soft plastic boards.



SMT-3491 | YELLOSTRIFE BIG-BUFFER MICRO 3 METER

Thick, padded self-adhesive felt. Recommended for wet installation, alcantara-type, for lamination on even surfaces.



SMT-3492 | YELLOSTRIFE BIG-BUFFER MICROFINE 3 METER

Thick, padded self-adhesive felt. Recommended for wet installation, for laminating films with sensitive surfaces.




SMT-3493 | YELLOSTRIFE SLIMSKIN MICROFINE 3 METER

Thin layer self-adhesive felt. Recommended for dry installation, for laminating films with sensitive surfaces.




SMT-3494 | YELLOSTRIFE SLIMSKIN MICRO 3 METER

Thin layer self-adhesive felt. Recommended for dry installation, alcantara-type, for lamination on even surfaces.



SMT-3468 | SELF-ADHESIVE FELT FOR SMT-3260

Felt specifically developed for car wrapping films, for SMT-3260.



SMT-3469 | SELF-ADHESIVE FELT FOR SMT-3263

Felt specifically developed for car wrapping films, for SMT-3263.



SMT-3470 | SELF-ADHESIVE FELT FOR SMT-3261

Felt specifically developed for car wrapping films, for SMT-3261.



SMT-3422 | THE MONKEY STRIP
SMT-3423 | THE MONKEY STRIP
SMT-3424 | THE MONKEY STRIP
SMT-3425 | THE MONKEY STRIP

Self-adhesive felt developed by a car wrapping veteran. If you've tried it once, you'll never look for another felt.



- SMT-3422: 10 pcs/pack
- SMT-3423: 25 pcs/pack
- SMT-3424: 50 pcs/pack
- SMT-3425: 100 pcs/pack

SMT-3413 | SOTT WRAPEDGE -01
1MM-SET 12 PCS

A clean wrapping result is partly dependent on easy squeegeeing without scratching. The WrapEdge has a special moisture-absorbent sponge layer for wet work, for an even better result. 1 mm thickness.

SMT-3414 | SOTT WRAPEDGE -02
2MM-SET 12 PCS

A clean wrapping result is partly dependent on easy squeegeeing without scratching. The WrapEdge has a special moisture-absorbent sponge layer for wet work, for an even better result. 2 mm thickness.



SMT-3437 | YELLOTOOLS APE T-BUFFER BETTY WING FILC

This squeegee pad is made of a multi-layer, resistant material, which is recommended for PPF films. Thanks to the extremely slippery and durable pad surface, this makes it easy to squeegee away wrinkles created when squeezing out the adhesive fluid. The flexible squeegee pad contains a thick foam backing in the adhesive layer. Recommended for ProWrap Betty squeegees.

SMT-3473 | YELLOTOOLS YELLOWING BETTY MICRO FIBRE

Special material for the edge of any ProWrap Betty squeegee (SMT-3162, SMT-3163).

SMT-3474 | YELLOTOOLS YELLOWING BETTY POLY

Special material for the edge of any ProWrap Betty squeegee (SMT-3162, SMT-3163).



SMT-3475 | SOFT WOOL FELT


A clean wrapping job depends in part on using the squeegee gently without scratching. For this, the soft, thick wool felt helps to achieve even better quality.

SMT-3476 | BUFFER FELT

Self-adhesive microfiber soft felt strip for squeegees, specially developed for sensitive materials.

SMT-3499 | PPF BUFFER 4"

Self-adhesive microfiber felt strips for squeegees, specifically recommended for installing paint protection films, designed for edges with a length of 9 cm.



SMT-4119 | LS162 TRANSMISSION METER

Developed to demonstrate the performance of window films, shows the transmission of the different solar transmission ranges: ultraviolet, visible light, infrared.



SMT-4313 | HEAT SHEET DEMO CARD

The Heat Sheet Temperature Demo Card vibrantly changes color when it encounters heat. To demonstrate the heat-blocking capabilities of your glass or film, use the Demonstration Card in combination with a heat lamp. The demonstration shows a dynamic color change in front of inefficient heat protection, while no color change occurs when placed in front of your heat protective window film.



SMT-4312 | HEAT SHEET ACRYLIC STAND, FOR SMT-4313

An Acrylic Stand designed to hold the Heat Sheet Card in place to demonstrate heat transfer.




SMT-4314 | UV DEMONSTRATION CARD

If you are looking for a low cost method to demonstrate the UV protection a given window film offers, consider this simple UV Demonstration Card. When it is reached by UV radiation, the card will glow visibly; behind a window film, the glowing effect will be minimized.




SMT-4315 | FUSION STRAP CLIP TO HOLD OPEN ROLLS, 4 PCS/PACK

Nostalgic product, rethought. This flexible ring is used to hold the cut film together and does not damage the material thanks to its silicone coating.



SMT-4150 SKY | SKYFOL GRAVELOMETER TESTING MACHINE

The Gravelometer device is intended to demonstrate the resistance of PPF materials to road debris. Rotating parts of the machine imitate the effect of road debris on a surface coated with the paint protection film, thus its protective feature will become clearly visible. CE certified device with Skyfol design.



SMT-4150 | GRAVELOMETER TESTING MACHINE

Undecorated Gravelometer for demonstrating the resistance of PPF materials to road debris.



SMT-4316 | PPF HY-RE TESTING MACHINE

A device designed to demonstrate the self-healing and water-repellent performance of paint protection films.




SMT-4129 | FOUR-SIDED ROTATABLE SOLAR FILM TESTER

Rotatable, cost-effective demonstration device with glass samples for testing car glass films. With the help of the 150W infrared lamp, we can achieve visible results between tinted and untreated glass surfaces in terms of reflection, filtering UV rays and heat absorption.



SMT-3495BU | YELLOTOOLS WRAP-U-EZEE BUMPER

The Wrap-U-ezee Bumper has been specially developed for film application on parts like bumper corners or very large parts.



SMT-3495 | WRAP-U-EZEE

With „Wrap-U-ezee“ protruding vehicle parts such as exterior mirrors or door handles can be easily wrapped without a „second pair of hands“.



SMT-4301 | AVERY TOOLBELT

With the help of Avery Toolbelt, your tools will always be at hand, you will not have to run around looking for them.



SMT-4105 | SOTT THE CORNERSEALER PEN

CornerSealer is a practical pen-shaped device, the tip of which heats up in 10 seconds, which makes it useful for fixing the film at the edges and corners. To avoid overheating, it is enough to keep the tip on the film for a few seconds and you're done! It is important that the device is not switched on for more than 5 minutes!

It works with 2 AA batteries, which are not included in the package.



SMT-4205 | SOTT SEALING KIT SILIRUB2 - NORMAL

Neutral silicone sealant that can be used after exterior window film installations.



SMT-4318 | PLASTIC MODEL - CAR-SHAPED

Car-shaped plastic model to be used to showcase car wrapping films. It measures 70x42 cm.



SMT-4322 | BIG SIZE METAL CAR HOOD MODEL

A metal model in the shape of a bonnet, which is used to illustrate different films. 55 cm high, 49 cm wide.



SMT-4323 | SMALL SIZE METAL CAR HOOD MODEL

A metal model in the shape of a bonnet, which is used to illustrate different films. 20 cm high, 18 cm wide.



SMT-3456 | SOAK SHIELD DOOR PANEL COVER WHITE

Car door cover white fabric with excellent absorbency.



SMT-4104 | FUSION AFTERBURN TAPE

Highly heat-resistant up to 500 °C with one layer applied. Apply multiple layers to increase heat resistance. Self adhering, and it leaves no glue residue. Apply it to heat guns, steamers, etc. The tape stretches up to 300%



SMT-4118 | EDM SPECTRUM DETECTIVE METER

Developed to demonstrate the performance of window films, shows the transmission of the different solar transmission ranges: ultraviolet, visible light, infrared. Runs on 9V batteries, portable.



SMT-4114 | LASER LABS M200 TINT METER

Developed to directly measure the light transmission of vehicle glasses.



SMT-4117 | TINT CHECK TC1800

Measures visible light transmission on roll down windows. Small, easy-to-use, reliable instrument.



SMT-4128 | MERLIN LAZER GLASS MEASUREMENT GAUGE

An absolute necessity when making architectural application quotes. A laser guided glass thickness meter that will show you the thickness of the glass and air gaps. Also suitable for deciding if the glass pane is laminated or not.



SMT-4126 | MERLIN LAZER TOUGHENED GLASS INDICATOR

Will show you if the glass is toughened or not. A great tool when visiting sites of architectural window film proposals. Light, easy-to-use.



SMT-4102 | STEINEL HL SCAN

Temperature scanner that shows the surface temperature of the vinyl making the heat fixing process much faster and more perfect.



SMT-4103 | STEINEL HEATGUN HG2120 7,5 M CABLE

A heatgun from the Steinel Professional series, with enhanced power and durability. 2200W output, 80-630°C, German design, equipped with a 7,5-meter cable to work more freely.



SMT-4107 | HEATMASTER2 HEATGUN 3 M CABLE

Heatmaster2 heatgun, 2000W, 450-600°C, with a 3-meter cable.



SMT-4305 | YELLOTOOLS GLADIBELT

A belt for heat guns - its leather protects from burns, the metallic tube leads off the heat.



SMT-4116 | THE JIFFY STEAMER

A perfect help for installing PPF and chrome films and fixing them on the edges, as well as for removing a variety of films by softening the adhesive. This is a really durable device straight from the USA - it will work for you for a long time without any issues.



NEW

SMT-4134 | IR LAMP - INFRARED HEATER TERM2000 GLV FOR CAR WRAPPING

High-performance Infrared Heater with Safety Shutter for car wrapping. European-made. It simplifies working with rolled, multi-layer films and helps prevent overheating. The lamp can uniformly maintain heat over large surfaces.



SMT-4133 | INFRARED TUBE


Infrared emitter Toshiba 290BSU2 to replace the original one in SMT-4131 if necessary.



SMT-4200 | PLASTI DIP - BLACK

Plasti Dip is a multi-purpose, air dry, special rubber coating. It can be easily applied by spraying.

HINT: If there is a white screw or a hinge on the car and you need to wrap full black, or you need to wrap a grill, it is time for Plast Dip.



SMT-4125 GL | SET OF GLASS SAMPLES

5 pieces of 3mm thick, deburred, clear glass samples that fit SMT-4125 Heat Box.



NEW

SMT-4400 | GLASS HOLDER FOR 10 PCS GLASSES

It gives an aesthetic appearance to the presentation of glass samples. Suitable for placing 10 samples.



SMT-4125 | HEAT BOX

Device demonstrating the infrared transmission of window films. Space for two tinted glass samples that you can put under 2 infrared bulbs, 150W each. Comes with 2 built in sensors that show the temperature as well as the temperature difference since the start of the test.



NEW


SMT-4125GLO | HEAT BOX GLOBAL

The Heat Box heat tester device is ideal for demonstrating the performance of window films. By applying heat from an infrared lamp, it displays the temperature change occurring within one minute, comparing two test glass panels: this can either be two panels with different films or one filmed and one non-filmed glass panel. CE certified device with Global or Skyfol design.



NEW

SMT-4125SKY | HEAT BOX SKYFOL



SMT-4303L | SPEEDCLIP TO HOLD OPEN ROLLS, LARGE
SMT-4303S | SPEEDCLIP TO HOLD OPEN ROLLS, SMALL

Speedclip to hold open rolls, 8 cm an 12 cm-diameter.



SMT-4306 | YELLOTOOLS GECKOPATCH M

With the help of this tool you can make your magnet stick to even non metallic surfaces, like plastics, glass or aluminium.



SMT-4307 | GECKOPATCH FLEXI

With the help of this tool you can make your magnet stick to even non metallic surfaces, like plastics, glass or aluminium.



NEW

SMT-2303 | SMOOTH MASKING TAPE CLASSIC T60

High-quality masking tape that adheres well to various surfaces including metal, glass, plastic, and rubber.
Size: 19 mm x 50 m



NEW

SMT-2304 | SMOOTH MASKING TAPE CLASSIC T60

High-quality masking tape that adheres well to all surfaces including metal, glass, plastic, and rubber.
Size: 50 mm x 50 m



NEW

SMT-2306 | MASKING TAPE FOR DELICATE SURFACES

Special masking tape with adhesive that can be removed without leaving residue. Primarily recommended for applications where weaker adhesion is needed or where the surface is sensitive.
Size: 24 mm x 50 m



NEW

SMT-2320 | MASKING 4400 FINE LINE


Flexible, high-quality "gold" masking tape for extreme edges, corners, and lines. Can also be used as a fineline tape.
Size: 18 mm x 50 m



NEW

SMT-2321 | MASKING 4400 FINE LINE

Flexible, high-quality "gold" masking tape for extreme edges, corners, and lines. Can also be used as a fineline tape.
Size: 48 mm x 50 m



NEW

SMT-2322 | TRIM MASKING TAPE

Self-adhesive tape suitable for pulling windshield and door rubber seals. It can be used for all types of cars, perforated for easy tearing, with high adhesion strength. Perforation: at intervals of 45 mm in widths of 9 mm - 11 mm.
Size: 50 mm x 10 m.



NEW

SMT-2323 | MASKING 4900 EXTRA STRONG


UV and moisture resistant, excellent for both outdoor and indoor use. Provides excellent adhesion even on difficult surfaces, even at high temperatures.
Size: 48 mm x 50 m



NEW

SMT-2324 | MASKING 4900 EXTRA STRONG


UV and moisture resistant, excellent for both outdoor and indoor use. Provides excellent adhesion even on difficult surfaces, even at high temperatures.
Size: 24 mm x 50 m



NEW

SMT-2325 | DOUBLE SIDED PE MOUNTING TAPE 1MM 2400 BLACK 9 MM X 10 M


Double-sided foam adhesive tape. Provides strong bonding between different materials (metal, glass, and most plastics). Weather-resistant, suitable for long-term outdoor use.



NEW

SMT-2326 | DOUBLE SIDED HSA MOUNTING TAPE 3200 BLACK HPX 6MM X10M

Double-sided acrylic adhesive tape with strong adhesive properties. Provides strong bonding between different materials (metal, glass, and most plastics). Solvent-resistant and repositionable.



NEW

SMT-2327 | DOUBLE SIDED HSA MOUNTING TAPE 3200 BLACK 9MM X 10M

Double-sided acrylic adhesive tape with strong adhesive properties. Provides strong bonding between different materials (metal, glass, and most plastics). Solvent-resistant and repositionable.



NEW

▶ C-COAT CLAY BAR COARSE

Hard clay used to remove burnt-on dust from the bodywork without damaging the paint. It should be used wet with clay water.



NEW

▶ C-COAT CLAY BAR FINE

Fine clay used to remove burnt-on dust from the bodywork without damaging the paint. It should be used wet with clay water.



NEW

▶ C-COAT CLAY MITT

Professional clay mitt for a more efficient cleaning process.



NEW

▶ C-COAT CLAY TOWEL


Clay towel that quickly and effectively removes surface contaminants.



NEW

▶ C-COAT TOWEL

Universal microfiber cleaning cloth for interior and exterior cleaning. 320GSM, 40X40 cm, 20 pieces/pack.



NEW

▶ C-COAT GLASS TOWEL

Water-repellent cloth specially developed for car windows for streak-free shine. Safe to use, it does not scratch the surface. Easy to clean and extremely durable.



NEW

▶ C-COAT DRYING TOWEL

Extremely efficient absorbent cloth that quickly and streak-free dries your car. Easy to clean and extremely durable.



NEW

▶ C-COAT WIPER RED
C-COAT WIPER BLACK

High-quality microfiber cleaning cloth available in red and black colors. 400 GSM.



NEW

▶ C-COAT WASH MITT

The indispensable washing glove, which can be easily slipped onto the hand for use. Its gentle material does not damage the paint, the foil, or the ceramic coating. It is easily cleaned after use and extremely durable.



NEW

▶ C-COAT PREWASH

Slightly alkaline with extremely effective cleaning power, available in 0.473L and 4L sizes. It excellently loosens dirt but doesn't harm the paint or previously applied ceramic coatings at all. Recommended dilution ratio: under normal conditions 1:50; for stubborn dirt 1:10; for extreme surfaces (e.g., rims) 1:5.



NEW

▶ C-COAT CLAY WATER

Clay lubricant available in 0.473L and 4L sizes. Ideal formula for cleaning clay bars, clay towels, and clay mitts. Provides proper lubrication, ensuring quick and safe work with clay, keeping it scratch-free throughout. Should be used with gloves.



NEW

▶ C-COAT SHAMPOO

Extremely concentrated foam shampoo available in 0.473L and 4L sizes. It has a neutral pH and is particularly recommended for use before vehicle wrapping. Recommended dilution ratio: 1:1800.



NEW

▶ C-COAT SURFACE PREP

Surface preparation degreaser for car wrapping and ceramic coating application, which is alcohol-free. It leaves behind a perfect, streak-free shine and works excellently on glass as well. Available in 0.473L and 4L sizes.



NEW

▶ C-COAT BRUSH

High-quality multifunctional car care brushes that can be used wet or dry. Ideal for the most sensitive areas, both for detailed exterior and interior cleaning. Comes in a set of 5 different sizes.



NEW

▶ C-COAT IRON

The C-Coat Fallout & Iron Remover is a pH-neutral iron remover that effectively dissolves and removes contaminants such as metal particles, rust, and deposits from the paint, rims, chrome surfaces, etc. WARNING! It is forbidden to use the product on heated surfaces or in direct sunlight!



NEW

▶ C-COAT BUG OFF

The C-Coat Bug Off is an extremely effective insect remover that easily dissolves organic contaminants. It should be used without dilution. Spray the contaminated surface, leave it on for 5 minutes, then wash the car with a pre-wash shampoo. It can be safely used on paintwork, car wraps, and paint protection films. Note: It is prohibited to use the product on hot surfaces and in direct sunlight.



NEW

C-COAT VALUE

Basic ceramic coating: suitable for providing short-term basic protection for the paint or for annual renewal of existing C-Coat Pro coatings. Works well on glossy and matte paint protection films as well as car wrapping films. Durability of up to 12 months.



NEW

C-COAT PRO

Professional ceramic coating providing easy cleanability and protecting the car from various types of contaminants. Works excellently on both glossy and matte paint protection films as well as car wrapping films. Durability of up to 36 months.



NEW

C-COAT SPREADER

Specifically designed microfiber applicator for applying ceramic coatings, which can be easily slipped onto the hand, 3 pieces.



NEW

C-COAT WASH MITT

The indispensable washing glove, which can be easily slipped onto the hand for use. Its gentle material does not damage the paint, the foil, or the ceramic coating. It is easily cleaned after use and extremely durable.



NEW

C-COAT GLASS TOWEL

Water-repellent cloth specially developed for car windows for streak-free shine. Safe to use, it does not scratch the surface. Easy to clean and extremely durable.



NEW

C-COAT BUG OFF

The C-Coat Bug Off is an extremely effective insect remover that easily dissolves organic contaminants. It should be used without dilution. Spray the contaminated surface, leave it on for 5 minutes, then wash the car with a pre-wash shampoo. It can be safely used on paintwork, car wraps, and paint protection films. Note: It is prohibited to use the product on hot surfaces and in direct sunlight.



NEW

C-COAT ELITE

Extreme stability, top-quality ceramic coating, the number one choice in the C-Coat range. The paint becomes extremely easy to clean, providing the strongest protection against various types of contaminants. Durability of up to 60 months.



NEW

C-COAT GLASS

Ceramic coating for glass, which creates an invisible water-repellent layer. It also resists dirt, making it easier to remove ice and bug residue.



NEW

C-COAT DRYING TOWEL

Extremely efficient absorbent cloth that quickly and streak-free dries your car. Easy to clean and extremely durable.



NEW

**C-COAT WIPER RED
C-COAT WIPER BLACK**

High-quality microfiber cleaning cloth available in red and black colors. 400 GSM.



NEW

**C-COAT TIRE & CARPET
BRUSH**

An excellent tool for cleaning tires and upholstery materials, its ergonomic design allows for quick and easy use, while its non-slip handle ensures safe operation.



NEW

APPLICATOR

Traditional ceramic applicator sponge, 12 pieces/box.



NEW

C-COAT TOWEL

Universal microfiber cleaning cloth for interior and exterior cleaning. 320GSM, 40X40 cm, 20 pieces/pack.



NEW

**C-COAT WIPER RED
C-COAT WIPER BLACK**

High-quality microfiber cleaning cloth available in red and black colors. 400 GSM.



NEW

WHEEL WOOLIES

Multifunctional wheel and rim cleaning brush with wool head, available in three different sizes to ensure thorough removal of all dirt.



NEW

C-COAT BRUSH

High-quality multifunctional car care brushes that can be used wet or dry. Ideal for the most sensitive areas, both for detailed exterior and interior cleaning. Comes in a set of 5 different sizes.



NEW

AREA DETAIL BRUSH

A brush recommended for efficient and quick cleaning of larger surfaces, featuring an ergonomic, rubberized handle, extra soft bristles, and a metal-free structure, making it safe for use on sensitive surfaces. It comes with a drying and storage stand.

▶ C-COAT PREWASH

Slightly alkaline with extremely effective cleaning power, available in 0.473L and 4L sizes. It excellently loosens dirt but doesn't harm the paint or previously applied ceramic coatings at all. Recommended dilution ratio: under normal conditions 1:50; for stubborn dirt 1:10; for extreme surfaces (e.g., rims) 1:5.



▶ C-COAT GRAPHENE SHAMPOO

An extremely powerful cleaning concentrate, enriched with graphene, to be applied after pre-washing. Thanks to its graphene content, it provides a resistant hydrophobic layer on the car. Recommended dilution ratio: 1:50 - 1:100. Available in 0.473L and 4L sizes.



▶ C-COAT JET WET COAT

Spray concentrate that can be easily and quickly sprayed directly onto the car after washing, then rinsed off. Its use enhances the effect, which can be felt even three months after application.



▶ C-COAT APC

An efficient, versatile cleaner for car care, offering a wide range of uses on both interior and exterior surfaces. It can be applied to metal, plastic, dashboard elements, leather, rubber, and even textiles. Available in 0.473L and 4L sizes.

▶ C-COAT IRON

The C-Coat Fallout & Iron Remover is a pH-neutral iron remover that effectively dissolves and removes contaminants such as metal particles, rust, and deposits from the paint, rims, chrome surfaces, etc. WARNING! It is forbidden to use the product on heated surfaces or in direct sunlight!



▶ C-COAT CERAMIC SEALANT

Sprayable sealant that creates an extremely hydrophobic, smooth, and glossy surface. It enhances the performance of the PPF and existing ceramic coatings. The product can be used both wet and dry. Dilute at a ratio of 1:20 (wet application). Available in 0.437 l and 4 l sizes.





Skyfol[®]
Film Solutions

BabyGuard Boost
window film



SKYFOL BABYGUARD BOOST is an exceptional window film in the industry: TPU based material, which is characterized by the simple installation of PPF, meanwhile it has outstanding heat protection. BabyGuard Boost was developed only for coupes and sedans (not suitable for vehicles with rear wiper); PPF-like installation method ensures fast work. No more crawling inside the car during installation; not to mention dot matrix and even the defroster will no longer be a problem.

The shade of BabyGuard Boost fits perfectly into the BabyGuard glass film series, allowing the BabyGuard Boost installed on the rear windshield to be combined with BabyGuard glass film on the side windows!

FEATURES OF THE FILM



Heat Rejection

Extrem IR filtering (92%) and blocking 99% of harmful UV radiation.



Easy Installation

Installation will be as fast as never before, thanks to TPU based material.



No more heat gun

The use of a heatgun will not be necessary, you do not need to be shrink the film.



Spotless

Say goodbye to dot matrix and defroster issues!



Scratch Cure

Microscratches will disappear from its patented surface coating.



Matching tint

Completely fits with the shades of BabyGuard window film series.

FROM 2024, THE SERIES IS ALSO AVAILABLE WITH 5% , 15% AND 70% VISIBLE LIGHT TRANSMISSION IN OUR RANGE.

www.smartfol.ro